PASSION
DRIVES
INNOVATION
2018
FOURIERS

PASSION DRIVES INNOVATION.

Fouriers Bicycle Components is an exceptional Taiwanese manufacturing company.
Behind Fouriers is a family firm of engineers and riders with a passion
for bicycles and more than 20 years experience in developing
and manufacturing high-end bike components.
Fouriers was created with the intention to share our experience and passion
with the rest of the world, in the hope that everybody can enjoy the sport.

QUALITY SAFETY PERFORMANCE.

We use the strongest and lightest materials for our components.
Durable grades of aluminum, highest quality carbon fiber,
and quality plastic imported from Switzerland.
Fouriers is a world class manufacturer,
and we rely on our sponsored riders to prove our ability to continuously
developand fabricate top tier bicycle components.

Fouriers
For U Riders

We Ride all bike types.
We Invest in our people, machines and riders.
We Discover new ideas and improve on others.
We Engineer every product from sketch to manufacturing.
We Refine existing products from good to excellent.

FOURIERS

CONTENT

08 | ROAD HANDLEBAR
11 | MTB HANDLEBAR
16 | INTEGRATED DI2 CABLE SYSTEM
17 | STEM
23 | SEATPOST
24 | BRAKE SYSTEM
27 | DISC ROTOR & ADAPTER
28 | CHAIN RING
37 | CRANK SET
39 | DI2 JUNCTION SPACER
40 | CHAIN GUIDE
44 | COMPUTER MOUNT
48 | CHAIN KEEPER
49 | TRIATHLON BAR
50 | WATER BOTTLE
51 | WATER BOTTLE CAGE
53 | QUICK RELEASE
54 | GRIP & BAR TAPE
56 | ROLLER KIT
58 | SEAT CLAMP
60 | HEADSET & SPACER
61 | TOP CAP
62 | ACCESSORIES
64 | MUDGUARD
66 | VALVE EXTENDER
67 | VALVE CAP & BOLT
68 | TOOL & PROTECTION

YCM
XV1020A

TECHNOLOGY

FATIGUE TESTING MACHINE

Our riders demand the lightest components which exceed safety standards.

INSPECTION MACHINE

Our lightweight carbon-fiber made products are of the finest quality. To assure this quality, we test our carbon-fiber products from top to bottom with the inspection machine.

MICROCOMPUTER ATTENUATION TESTER

We are pioneers in product quality and know that carbon-fiber is an ambiguous material. Therefore we also check our carbon-fiber made products' strength by our Microcomputer Attenuation Test. The test puts them under 150kg of pure force, two times, for 30 seconds. The result, a safe and reliable product that every rider can trust.

HARDNESS TESTING MACHINE

To assure the intensity and safe structure of our products to meet the international standards, we carry out discreet sample inspection to pass the hardness test. It is important to us that we deliver consistency in our product quality.

COORDINATE MEASURING MACHINE

The coordinate measuring machine is key to reach our goal of high product standards. We only want to provide our customers the best and most excellent quality. Therefore we use 2.5D CMM techniques to test all our products.

EFBE, TESTING CENTER IN GERMANY

After EN testing at Cycling & Health Industry R&D Center (in Taiwan) we send our products for further inspections to EFBE in Germany, so that we can assure our high expectations and meet the international standard.

EFBE
PRÜFTECHNIK







HB-RA001-N2 CARBON

Unique lightweight handlebar with one piece monocoque construction.
Bar top has a fluid design for increased aero dynamic qualities and grip.
Rugged bar bore coating for extra clamp grip. Anatomic lower bar design for sprint position.

Material	Carbon fiber
Spec	Ø31.8 mm x W400, 420, 440 mm (c-c)
Drop	130 mm
Reach	80 mm
Bar Type	Anatomic bend
Weight	225g (W420 mm)

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-RA002-N2 CARBON

Unique lightweight handlebar with one piece monocoque construction.
Bar top has a fluid design for increased aero dynamic qualities and grip.
Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø31.8 mm x W380, 400, 420, 440 mm (c-c)
Drop	130 mm
Reach	80 mm
Bar Type	Compact bend
Weight	225g (W420 mm)

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-RA003-N2 CARBON

Over-sized bar bore for greater reliability. Lightweight one piece monocoque construction.
Bar top has a special fluid design for optimal aero dynamic qualities and finer grip.
Rugged bar bore coating for extra clamp grip.
Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø35 mm x W400, 420, 440 mm (c-c)
Drop	128 mm
Reach	78 mm
Bar Type	Compact bend
Weight	240g (W420 mm)

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-RA004 AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.
Ø35mm bar bore for enhanced rigidity and strength.
Anatomic lower bar design for sprint position.

Material	AL7050- T73
Spec	Ø35 mm x W380, 400, 420, 440 mm (c-c)
Drop	145 mm
Reach	80 mm
Bar Type	Anatomic bend
Weight	265g (W420 mm)

HB-RA005 AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.
Ø35mm bar bore for enhanced rigidity and strength.
Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø35 mm x W380, 400, 420, 440 mm
Drop	145 mm
Reach	80 mm
Bar Type	Compact bend
Weight	265g (W420 mm)
Color	S.B Anodized Black

HB-RA006 AL7050-T73
HB-RA006-A6 AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.
Ø31.8mm bar bore to fit any stem.
Anatomic lower bar design for sprint position.

Material	AL6061-T6 / AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Drop	130 mm
Reach	85 mm
Bar Type	Anatomic bend
Weight	275g (AL7050-T73 / W420 mm)
Color	S.B Anodized Black

HB-RA007 AL7050-T73
HB-RA007-A6 AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.
Ø31.8mm bar bore to fit any stem.
Compact lower bar design for multiple sprint positions.

Material	AL6061-T6 / AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Drop	130 mm
Reach	85 mm
Bar Type	Compact bend
Weight	275g (AL7050-T73 / W420 mm)
Color	S.B Anodized Black

HB-RA008 AL7050-T73
HB-RA008-A6 AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.
Bar top has a special fluid design for optimal aero dynamic qualities and finer grip.
Compact lower bar design for multiple sprint positions.

Material	AL6061-T6 / AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Drop	130 mm
Reach	80 mm
Bar Type	Compact bend
Weight	285g (AL7050-T73 / W420 mm)
Color	S.B Anodized Black

NEW

HB-RA009-FL25 AL6061-T6

New NANKO-W handlebar is made for touring and singletrack,
special design offer 25 degrees flare in the drops,
boosts comfortable and usability.

Material	AL 6061-T6.
Spec	31.8 mm x W480, 500 mm
Drop	135 mm
Reach	110 mm
Bar Type	Compact bend 25 degrees of flare
Weight	340g
Color	S.B Anodized Black



NEW

HB-RA010-FL12 AL6061-T6

New NANKO-O handlebar is made for all condition,
special design offer 12 degrees flare in the drops,
boosts comfortable and usability.

Material	AL 6061-T6.
Spec	31.8 mm x W380, 400, 420, 440 mm
Drop	130 mm
Reach	80 mm
Bar Type	Compact bend 12 degrees of flare
Weight	295g
Color	S.B Anodized Black



HB-MB001-N2 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction.
Ø35 bar bore for extra strength. Rugged bar bore coating for extra clamp grip.
Ready to get rowdy.

Material	Carbon fiber
Spec	Ø35 mm x W800 mm
Rise	20 mm
Back Sweep	9°
Up Sweep	5°
Weight	295g

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-MB002-N2 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction.
Rugged bar bore coating for extra clamp grip. Ready to get rowdy.
Extra wide for increased stability control.

Material	Carbon fiber
Spec	Ø31.8 mm x W800 mm
Rise	20 mm
Back Sweep	9°
Up Sweep	5°
Weight	280g

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-MB008-N2 CARBON

Lightweight carbon flat handlebar. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Rugged bar bore coating for extra clamp grip.
Great choice to shave weight off your bike.

Material	Carbon fiber
Spec	Ø31.8 mm x W750 mm
Eccentric	5 mm
Back Sweep	9°
Weight	170g

HB-MB003-N2 AL6066-T6

An extremely strong riser handlebar made from double butted AL6066.
Ø35 bar bore is extra strong to endure 600kg static load testing. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

Material	AL6066-T6
Spec	Ø35 mm x W780 mm
Rise	20 mm
Back Sweep	9°
Up Sweep	5°
Weight	428g
Color	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-MB004-N2 AL6066-T6

An extremely strong riser handlebar made from double butted 6066-AL.
Featuring a Ø31.8mm bar bore, which will endure 600kg static load testing. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

Material	AL6066-T6
Spec	Ø31.8 mm x W780 mm
Rise	20 mm
Back Sweep	9°
Up Sweep	5°
Weight	382g
Color	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

P1306487 / P1306488 / P1306489

HB-MB007-N2 AL7050-T73

Lightweight aluminum flatbar made from double butted aluminum 7050 for increased strengthand lighter weight. Eccentric design allows height adjustment of + / - 5mm by flipping thehandlebar.
Hydroformed material for additional anti-corrosion.

Material	AL7050-T73 double butted tube
Spec	Ø31.8 mm x W720 mm
Eccentric	5 mm
Back Sweep	9°
Weight	340g
Color	S.B Anodized Black, Red, Gray

HB-MB007-N2-A6 AL6061-T6

Lightweight aluminum flatbar made from double butted aluminum 6061 for increased strength and lighter weight. Eccentric design allows height adjustment of + / - 5mm by flipping the handlebar. Hydroformed material for additional anti-corrosion.
Adjustable width indicators of 660-740mm.

Material	AL6061-T6 double butted tube
Spec	Ø31.8 mm x W740 mm
Eccentric	5 mm
Back Sweep	9°
Weight	259g
Color	S.B Anodized Black, Red, Gray

HB-MB009-N2 AL6061-T6

Double butted aluminum flat handlebar. Great choice for riders looking for durable, reliable and high performing components. Available in different painted colors to complete your bike.

Material	AL6061-T6
Spec	Ø31.8 mm x 680 mm
Back Sweep	5°
Weight	210g
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

HB-MB010-N2-H AL7050-T73

Double butted aluminum flat handlebar made from aluminum 7050 to reduce weight and maintain strength. Made extra strong to safely endure 800kg impact.

Material	AL7050-T73
Spec	Ø31.8 mm x W720 mm
Back Sweep	5°
Overload	800kgs
Weight	275g
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

HB-MB011-N2 AL6061-T6

Aluminum riser handlebar. Great choice for riders looking for durable, reliable and high performing components. Available in different painted colors to complete your bike.

Material	AL6061-T6
Spec	Ø31.8 mm x W720, 780 mm
Back Sweep	9°
Up Sweep	5°
Rise	20 mm / 25 mm / 30 mm
Weight	345g-375g
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

TECHNOLOGY | Butted Construction

Fouriers butted handlebars are specially constructed to increase durability and reliability. Tapering our wall thickness allows the subjecting force to centralize on the strongest and thickest section in the bar bore.



HB-MB010-N2 AL7050-T73

Double butted aluminum flat handlebar made from aluminum 7050 to reduce weight and maintain strength.

Material	AL7050-T73
Spec	Ø31.8 mm x W680 mm
Back Sweep	5°
Weight	210g
Color	S.B Anodized Black

HB-MB012-N2 AL7050-T73

Double butted aluminum riser handlebar made from aluminum 7050 to reduce weight and maintain strength.

Material	AL7050-T73
Spec	Ø31.8 mm x W780 mm
Back Sweep	9°
Up Sweep	5°
Rise	20 mm / 25 mm / 30 mm
Weight	375g
Color	S.B Anodized Black

TECHNOLOGY | Control Curve Bend

NEW

HB-MB016-CC AL7050-T73

Fouriers' Control Curve Technology comes to life in this triple butted, eccentric handlebar.
The control curve bend at the hand grip area functions as an arch support for the hands.
Riders benefit from less hand fatigue and great comfort in all riding positions,
creating confident control.

Material	AL7050-T73
Spec	Ø31.8 mm x W760, 800 mm
Back Sweep	9°
Eccentric	5 mm
Weight	260g (W800mm)
Color	Body: S.B Anodized Black / Sticker: Red, Gray, Apple green

W/ Control curve bend



HB-MB017-M AL7050-T73
HB-MB017-A6-M AL6061-T6

The "Trailhead Handlebar" is a utilitarian and trekking handlebar that will take you to the trailhead and beyond. Featuring a comfortable sweep for enduring rides,
while giving additional leverage and more control.
The control curve bend at the hand grip area functions as an arch support for the hands.
Riders benefit from less hand fatigue and great comfort in all riding positions.

Material	AL7050-T73 / AL6061-T6
Spec	Ø31.8 mm x W720 mm
Back Sweep	35°
Rise	20 mm
Weight	289g (HB-MB017-M) / 334g (HB-MB017-A6-M)
Color	Body: S.B Anodized Black / Sticker: Red, Gray, Apple green

W/ Control curve bend



STASHKING INTEGRATED DI2 CABLE SYSTEM

COMPATIBLE SHIMANO® DI2 SYSTEM

Integrated wire ports make StashKing, the King of clean lines.

HB-SC002-DI2 CARBON

Unique DI2 compatible carbon flat handlebar.

Material	Carbon fiber
Spec	Ø31.8 mm x W780 mm
Eccentric	5 mm
Back Sweep	9°
Weight	169g
Color	UD

STATIC LOAD 350 KG

HB-SA001-DI2 AL6061-T6

Unique DI2 compatible alloy flat handlebar.

Material	AL6061-T6
Spec	Ø31.8 mm x W720 mm
Eccentric	5 mm
Back Sweep	7°
Weight	235g
Color	S.B Anodized Black

STATIC LOAD 350 KG

NEW

SM-MB108-DI2

Unique stem for SHIMANO® MTB DI2 system.
Features an integrated cable system inside the stem for a clean looking bike.

Material	AL6061-T6
Bar-Bore	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	-6°
Length	80-120 mm
Weight	215g (120 mm)
Color	Anodized Black

SM-RA009

Advanced lightweight full CNC made stem.
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has ±17 degree angle.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø31.8 mm
Fork Stack Height	40 mm
Angle	±17°
Length	80 - 140 mm
Weight	153g (100 mm)
Color	Anodized Black

With Top Cap & alloy shim for Ø28.6

Pass EFBE test

P1306487 / P1306488 / P1306489

SM-RA009-SD

Extreme lightweight full CNC made stem.
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±17°
Length	80 - 120 mm
Weight	153g (100 mm)
Color	Anodized Black

Comes with top cap

SM-RA001

Extreme lightweight full CNC made stem.
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar Clamp	Ø35 mm
Fork Tube	Ø31.8 mm
Fork Stack Height	40 mm
Angle	±8°
Length	80 - 140 mm
Weight	145g (100 mm)
Color	Anodized Black

Comes with alloy steerer shim - Convert Ø31.8 steerer tube to Ø28.6
alloy handlebar shim - Convert Ø35 bar bore to Ø31.8 & top cap

Pass EFBE test

P1306487 / P1306488 / P1306489

SM-RA002

Extreme lightweight full CNC made stem.
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±6°
Length	80 - 140 mm
Weight	133g (100 mm)
Color	Anodized Black

Comes with top cap

Pass EFBE test

P1306487 / P1306488 / P1306489

SM-MB109-G7

3D forged stem with ±7 degree angle. Filp over to change stem angle by ±7 degree, available in 5 sizes between 70~110mm. For Road bike & MTB.

Material	AL6061-T6 3D forged
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±7°
Length	70 - 110 mm
Weight	150g (100 mm)
Color	S.B. Anodized Black

Comes with top cap

SM-MB110-G0

3D forged stem with 0 degree angle. Available in 4 sizes between 35~65 mm. For MTB.

Material	AL6061-T6 3D forged
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±0°
Length	35, 45, 55, 65 mm
Weight	118g (45 mm)
Color	S.B. Anodized Black

Comes with top cap

35 mm model

SM-RA010

3D forged stem with ±17 degree angle. Flip over to change stem angle by ±17degrees. Available in 6 sizes between 70-120 mm. For Road.

Material	AL6061-T6 3D forged
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±7°, ±17°
Length	70 - 120 mm
Weight	152g (100 mm)
Color	S.B. Anodized Black

Comes with top cap

SM-RA008

3D forged stem with Ø35 system for increased strength and control. A great value in a stem, providing top tier performance and lasting durability. 7 different sizes between 60-120 mm. For MTB and Road.

Aterial	AL6061-T6 3D forged
Handlebar Clamp	Ø35 mm
Fork Tube	Ø31.8 mm
Fork Stack Height	40 mm
Angle	±6°
Length	60 - 120 mm
Weight	145g (100 mm)
Color	S.B. Anodized Black

Comes with alloy steerer shim (AC-A001)
- Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim (AC-A002)
- Convert Ø35 bar bore to Ø31.8 & top cap

NEW

SM-MB114-G17
SM-MB114-G25

A stunning MTB stem designed to be stiff and unique shape.
-17 / -25 degree low rise, and length start from 80-120mm.

Material	AL6061-T6 full CNC made
Handlebar Clamp	Ø31.8
Fork Tube	Ø28.6
Fork Stack Height	28mm
Angle	-17° / -25°
Length	80 - 120 mm
Weight	206g (100mm)
Color	Anodized Black

Comes with top cap

SM-RA003

3D forged stem with unique RIB technology. Precision CNC cuts are made inside the stem body in the shape of a rib cage to decrease weight and retain rigidity. For MTB and Road.

Material	AL6066-T6 3D forged + CNC made
Handlebar Clamp	Ø31.8 mm
Steerer Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	±6°
Length	70 - 120 mm
Weight	145g (100 mm)
Color	S.B. Anodized Black

Comes with top cap

RIB P.A.T ED

SM-MB113-G0

A true high-performance stem, featuring a stepped profile and uncompromising control.
Built for freeride / Enduro / Trail

Material	AL6061-T6 Full CNC made
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	34.5 mm
Angle	0°
Length	35 mm
Weight	103g
Color	S.B. Anodized Black

Comes with top cap

SM-MB112-G6

A super stiff stem, featuring an aerodynamic design.
Available in 4 sizes between 60-105 mm.

Material	AL6061-T6
Handlebar Clamp	Ø31.8
Fork Tube	Ø28.6
Fork Stack Height	40 mm
Length	60, 75, 90, 105 mm
Angle	±6°
Weight	191g (105mm)
Color	Anodized Black

Comes with top cap

SM-MB002

Clean and classy, stiff and strong.
This stem is timeless.

Material	AL6066-T6 full CNC made
Handlebar Clamp	Ø35 mm
Fork Tube	Ø31.8 mm
Fork Stack Height	40 mm
Angle	0°
Length	40 mm
Weight	140g / set
Color	Anodized Black

Comes with alloy steerer shim
- Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
- Convert Ø35 bar bore to Ø31.8, with top cap

SM-MB001

Loud and proud, our SM-MB001 stem is looking to get wild

Material	AL6066-T6 full CNC made
Handlebar Clamp	Ø35 mm
Fork Tube	Ø31.8 mm
Fork Stack Height	40 mm
Angle	0°
Length	50 mm
Weight	205g
Color	Anodized Black, Gray

Comes with alloy steerer shim
- Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
- Convert Ø35 bar bore to Ø31.8, with top cap

SM-MB007

Bred from the Enduro Circuit, and ready for repeated abuse. This stem blends 20+ years of design experience.

Material	AL6066-T6 full CNC made
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	0°
Length	45 mm
Weight	144g
Color	Anodized Black, Gray

Comes with top cap

SM-DH001

The DH Direct Mount stem, precision CNC machined from quality AL6066-T6.

Material	AL6066-T6 full CNC made
Direct Mount	Boxxer
Handlebar Clamp	Ø35 mm offset height 17.3 mm
Height	17.3 mm
Weight	92g
Color	S.B Anodized Black, Gray

Comes with alloy handlebar shim
- Convert Ø35 bar bore to Ø31.8

SM-MB003

Lightweight CNC machined stem. Ø35 System for improved stiffness and control. Direct mount design specially for downhill forks.

Material	AL6066-T6 full CNC made
Offset Height	25 mm
Handlebar Clamp	Ø35 mm
Weight	171g
Color	Anodized Black, Gray

Comes with alloy handlebar shim
- Convert Ø35 bar bore to Ø31.8

FOURRS
Ø34.9
4N.m
KOOL·STOP

SP-S001
SP-S001-DI2 CARBON

Extreme lightweight carbon seatpost with one piece monocoque construction.
Includes our carbon top clamp design. It's the best choice to reduce road vibrations.
Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

Material	UD Carbon fiber
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400 mm
Offset	20 mm
Weight	200g (Ø31.6 / 350 mm)
Color	UD Finish

Pass EFBE test

P1206092 / P1206093
Pass overload 300 kg

SP-S003
SP-S003-DI2 CARBON

Extreme lightweight full carbon seatpost with one piece monocoque construction.
Includes our carbon top clamp design. Best choice to shave off weight.
Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

Material	UD Carbon tube, Carbon clamp
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400 mm
Offset	0 mm
Weight	190g (Ø31.6 / 350 mm)
Color	UD Finish

Pass EFBE test

Please follow instructions on the warning sticker for tightening carbon clamp

SP-DX001 ALLOY

Extreme lightweight full CNC aluminum seatpost. Great aesthetics and unique design.
Double bolt clamp design for easy angle adjustment.
Has no offset, best used for MTB.

Material	AL6066-T6 full CNC made
Spec	Ø27.2, Ø31.6
Length	400 mm
Offset	0 mm
Weight	320g (Ø31.6 / 400 mm)
Color	Anodized Black

SP-AG12 ALLOY

Durable, strong, and good looking 3D forged seatpost.
Double bolt clamp design for easy angle adjustment. 12mm offset,

Material	3D forged one-piece AL6061-T6 shaft
Spec	Ø27.2, Ø30.9, Ø31.6
Length	400 mm
Offset	12 mm
Weight	337g (Ø31.6 / 400 mm)
Color	S.B Anodized Black

TECHNOLOGY | BRAKE

Fouriers cooperates with one of the best bicycle teams in the world to create unique and high performance brakes with great care in the aesthetics and details.
We finish our high-end brakes with SWISS STOP® brake shoes to ensure quality performance.
BR-DX005 is our renowned aero V-brake used for Propel bikes.
It was made at request of top tier athletes and used with great success.

Marcel Kittel's yellow Giant® Propel Bike

BR-DX005

SwissStop

We know the brake system that stops you, gives you the confidence to ride at peak performance. We've produced the BR-DX006 brake with 20+ years of design expertise and high-tech manufacturing skills. Fouriers' Brakes provide reliable braking that can boost your performance to be the champion.

Material	AL6066-T6 full CNC made
Weight	215g / Bike
Color	Anodized Black

Fits GIANT® PROPEL
Direct mount aero V brake/Liner spring adjustment system
Quick width switch for different rim width with SWISS STOP® brake shoes

BR-S005

Forged propel aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires.

Material	AL6061-T6 3D forged
Weight	230g / Bike
Color	S.B Anodized Black

Fits GIANT® PROPEL
Direct mount aero V brake/Liner spring adjustment system
Quick width switch for different rim width

BR-DX001

SwissStop

Extreme lightweight full CNC caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. The brake is finished with a titanium bolt and SWISS STOP® brake shoe.

Material	AL6066-T6 full CNC made
Brake Shoes	CNC cassette
Bolt	Main bolt Ti-64
Dimension	c-c 39-51 mm
Weight	210g / Bike
Color	Anodized Black, Silver. Red, Gold, Gray

BR-S003

Extreme lightweight forged caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion.

Material	AL6066-T6 forged made
Brake Shoes	Forged cassette
Bolt	Main bolt Cr-mo
Dimension	c-c 39-51 mm
Weight	245g / Bike
Color	Anodized Black, Silver. Red, Gold, Gray

BR-DX006

SwissStop

We know that one of the most key parts of bike is brake system. Therefore, we produce BR-DX006 brake with professional knowledge and high technical manufacture skill for world top professional team. Because the reliable control and braking system to win the professional team riders believe and use FOURIERS brake to get the champion.
Use Swiss Stop brake pad for alloy wheel.

Material	AL6066-T6 Full CNC made
Weight	275g / Bike
Color	Anodized Black

Fits GIANT® NEW TRINITY
Direct mount aero v brake
Liner spring adjustment system

BR-S001

Full CNC made canti-brake. that is uniquely designed and exceptionally lightweight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

Material	AL6061-T6
Weight	205g / Bike
Color	S.B Anodized Black, Silver, Red

BR-E001

Full CNC made with titanium bolt.
Special brake pads for carbon rims.
Adjustable angle with curve washer.

Material	AL6066-T6
Weight	59g / bike
Color	Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system



BR-E007

Forged with CNC finish. Stainless steel bolts
and special brake pads for alloy rims.
Adjustable angle with curve washer. For caliper brake

Material	AL6066-T6
Weight	70g / bike
Color	Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system

BR-E006

Stainless steel bolts and special brake pads for alloy rims.
Adjustable angle with curve washer.

Material	AL6066-T6
Weight	71g / bike
Color	Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system

BR-E008

Replacement pad cartridges.
Great performance in all conditions, rain or shine.
Aluminum rim compound.

Fits	SHIMANO® & SRAM® / Campagnolo®
Rims	Aluminum, Carbon
Weight	13g / wheel
Color	Blue, Dark Red

BR-S006

Route your existing brake cable and housing from your current drop levers through these ergonomic lever.
Allows you to control your speed from multiple hand positions.
Can be used independently. Split clamp for easy installation.
Adjustable reach and return spring

Material	AL6061-T6 forged.
For	Ø31.8 handlebar
Weight	128g / pair
Color	S.B Anodized Black

Canti or caliper compatibility. With Ø24mm shim
Design by TOKYO SAN-ESU

BR-DX003

Full CNC machined. Light weight design V-brake lever.
Fits SHIMANO® standard brake cable.

Material	AL6066-T6
Weight	70g / pair
Color	Anodized Black, Red

For Ø24 handlebar with Ø22.2 shim

BR-DX004

Full CNC machined. Light weight design brake lever.
For Caliper-brake lever, Cantibrake lever,
Mini V-brake lever fits SHIMANO® standard brake cable.

Material	AL6066-T6
Weight	85g / pair
Color	Anodized Black, Red

Canti or caliper compatibility
For Ø24 handlebar with Ø22.2 shim

BR-DSK001

Two piece brake rotor, functionally designed with heat dissipating "dimple" surface. Stainless steel disc with AL6061 carrier piece. Compatible with the international standard 6 hole (IS mount).

Material	Stainless steel disc AL6061-T6 CNC made body
OD Size	Ø140 mm, Ø160 mm, Ø180 mm, Ø203 mm
Weight	136g (Ø180 mm)
Thickness	1.7 mm
Color	(Body) S.B Anodize Red, Ti-coating (Ring) Stainless, Ti-coating

ADP-PM001

Adapter to mount larger disc brake rotor.
Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6 CNC made
Post Mount	74mm
Spec	140 mm to 160 mm 160 mm to 180 mm
Weight	11g / pcs
Color	S.B. Anodized Black, Red, Gray

ADP-PM002

Adapter to mount larger disc brake rotor.
Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6 CNC made
Post Mount	74 mm
Spec	160 mm to 203 mm
Weight	23g / pcs
Color	S.B. Anodized Black, Red, Gray

MAGE SKX3

Add a lower gear range to your SHIMANO® Road Cassette and reach the top of any hill you thought impossible.
Fouriers breaks the rules and makes bigger sprocket options that help you save power and energy to the top, for the long road ahead!

CR-DX008-SKX3

Material	26T Cr-mo 4130 heat treated 30T Cr-mo 4130 heat treated 36T AL7075 - T651
Sprocket Size	26T, 30T, 36T
Spec	Fit with SHIMANO® 11 speed 11-28T Cassette sprocket (CS-6800 & CS-5800) Compatible with RD-6800-GS & RD-5800-GS rear derailleur.
Weight	139g
Color	Body-S.B Anonized Black 36T- S.B Anonized Black, Red, Blue 26T & 30T-N.E.M finish

+CR-DX008-SKIII
(26T / 30T / 36T)

23T & 25T & 28T
Take away

(11T) (12T) (13T) (14T) (15T) (17T) (19T) (21T)

Remove the rear cassette from your bike and take out the 23T / 25T / 28T sprocket.
Add the SKX3 after the largest sprocket.

CR-DX008-SK32
CR-DX008-SK36

Remove the rear cassette from your bike and take out the 13T or 14T sprocket.
Fix SHIMANO® 11 speed - Ultegra RD-6800-GS & 105 RD-5800-GS.
(CR-DX008-SK32) Compatible with 11-28T cassette sprocket.
(CR-DX008-SK36) Compatible with11-32T cassette sprocket.

Material	Sprocket - AL7075-T651 Body - AL6066-T6
Spec	32T, 36T
Weight	69g (32T) / 78g (36T)
Color	Sprocket - S.B Anonized Red, Gold, Blue,Apple Green, Orange Body - S.B Anonized Black



TECHNOLOGY | Wave

WAVE SHAPE PROFILE ON THE CHAIN SIDE FOR SNUG FIT.

Full CNC'd Narrow Wide Chainrings for 1X drivetrains.

The stepped profile of our snug fit wave design maintains excellent chain retention. ÜNC details to each tooth, include a teardrop port for mud clearance.





CR-DX8000

Narrow Wide chainrings for XT M8000 11 speed
With Narrow wide teeth, Teardrop holes,
Wave Technology design.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T
Weight	56g (36T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX8000

Narrow Wide chainrings for XT M8000 11 speed
With Narrow wide teeth.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	57g (36T)
Color	S.B Anodized Black, Red, Blue



CR-DX9000

Narrow Wide chainrings for XTR M9000 / M9020 11 speed
crank with custom made crank cover caps.
With Narrow wide teeth, Teardrop holes,
Wave Technology design.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T
Weight	56g (36T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX9000

Narrow Wide chainrings for XTR M9000 / M9020
11 speed crank with custom made crank cover caps.
With Narrow wide teeth.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	57g (36T)
Color	S.B Anodized Black, Red, Blue

HIGH QUALITY-MODERATE PRICE

Don't know your crank specifications?
Please scan the QR code and follow the instructions .



CR-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T
Weight	96g (36T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing.
Adjust the oval in 3 position to increase its effect.
With Narrow wide teeth.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	96g (36T)
Color	S.B Anodized Black, Red, Blue



CR-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps.
Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T
Weight	96g (36T)
Color	S.B Black, Red, Blue



CR-E1-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps.
Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	96g (36T)
Color	S.B Anodized Black, Red, Blue

NEW

CR-SHM110

Aircraft material and full cnc made high quality chainring,
compatible with shimano crankset.
New design chainring gives smooth shifting and reliable quality.

Material	AL7075-T651 full cnc made
P.C.D	Ø110mm
Teeth	34T & 50T, 36T & 52T, 39T & 53T
Weight	27g(34T) / 134.5g(50T) (Without bolt)
Color	S.B Anodized Black, Red, Blue, Green, Ti-coating for large chainring S.B anodized Black for small chainring
Option	Special screw set (For SHIMANO® 5800 crank) CR-SHM110-58 (For SHIMANO® 6800 crank) CR-SHM110-68 (For SHIMANO® 9000 crank) CR-SHM 110-90





CR-DX5800-110

Narrow Wide chainrings for SHIMANO® FC5800 105 crank set, Full CNC made AL7075-T651 material.The stepped profile of our snug fit wave design maintains excellent chain retention. CNC details to each tooth, include a teardrop port for mud clearance.For 1X system P.C.D Ø110mm 4arm standard. Included carbon with nylon cover cap to fit the SHIMANO® crank set.

Material	AL7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	40T, 42T, 44T, 46T, 48T
Weight	82g (40T)
Color	S.B Anodized Black, Red, Blue

CR-DX6800-110

Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set, Full CNC made AL7075-T651 material The stepped profile of our snug fit wave design maintains excellent chain retention.
CNC details to each tooth, include a teardrop port for mud clearance. Each tooth has carbon cut hole for mud clearance. For 1X system P.C.D Ø110mm 4arm standard.
Included carbon with nylon cover cap to fit the SHIMANO® crank set.

Material	AL7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	40T, 42T, 44T, 46T, 48T
Weight	82g (40T)
Color	S.B Anodized Black, Red, Blue



CR-E1-GX94

Narrow Wide chainrings for SRAM® GX CRANK SET,
Full CNC made AL7075-T651 material for 1X system P.C.D Ø94mm 4arm standard.

Material	AL7075-T651 full CNC made
P.C.D	Ø94 mm
Teeth	28T, 30T, 32T, 34T, 36T, 38T, 40T
Weight	71g (36T)
Color	Anodized Black, Red, Blue



CR-DX003-X1

With Narrow wide teeth, Teardrop holes,
Wave Technologydesign. For SRAM® XX1 system

Material	AL7075-T651 full CNC made
P.C.D	Ø76 mm
Teeth	30T, 32T, 34T, 36T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-E1-DX5800-110

Narrow Wide chainrings for SHIMANO® FC5800 105 crank set,
Full CNC made AL7075T-651 material.
For 1X system P.C.D Ø110mm 4arm standard.
Included carbon with nylon cover cap to fit the SHIMANO® crank set.

Material	AL7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	40T, 42T, 44T, 46T, 48T
Weight	92g (40T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX6800-110

Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set. Full CNC made AL7075-T651 material.
For 1X system P.C.D Ø110mm 4arm standard.
Included carbon with nylon cover cap to fit the SHIMANO® crank set.

Material	AL7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	40T, 42T, 44T, 46T, 48T
Weight	92g (40T)
Color	S.B Anodized Black, Red, Blue



CR-GXP01

One piece full CNC machined GXP chainring, Narrow wide teeth with our snug fit wave design and CNC cut holes for mud clearance. Compatible with SRAM® XX1 / X0 / X9 and GXP cranks.

Material	AL7075-T651 full CNC made
Teeth	30T, 32T, 34T, 36T, 38T
Weight	95g (34T)
Color	S.B Black, Red, Blue



ADP-GXP104

Full CNC made spider adapter for P.C.D Ø104 chainring compatible with SRAM® XX1 / X0 / X9 and GXP cranks.

Material	AL7075-T651 full CNC made
Weight	56g
Color	S.B Anodized Black, Red, Blue



CR-DX006-130

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross

Material	AL7075-T651 full CNC made
P.C.D	Ø130 mm
Teeth	38T, 40T, 42T
Weight	47g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-DX005-110

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross

Material	AL7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	38T, 40T, 42T
Weight	68g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-DX010-96

Full CNC made narrow wide chainring for 1x system.
The stepped profile of our snug fit wave design maintains excellent chain retention.
CNC details to each tooth, include a teardrop port for mud clearance.
Special made for P.C.D 96mm x 4 arms standard.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	32T, 34T, 36T, 38T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-96S

Full CNC made narrow wide chainring for 1x system.
For P.C.D 96mm x 4 arms standard.

Material	AL7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX009-CM

The evolution of narrow-wide chainrings.
Made from Cr-Mo heat treated steel for long lasting durability and a pin point CNC finish. This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design.
Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material	Cr-mo heat treated steel
P.C.D	Ø104 mm
Teeth	32T, 34T, 36T, 38T
Weight	125g (34T)
Color	Ti-coating



CR-E1-120S

Full CNC made narrow wide chainring for 1x system.
With Narrow wide teeth design.

Material	AL7075-T651 full CNC made
P.C.D	Ø120 mm
Teeth	36T, 38T, 40T
Weight	85g (38T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect.
The stepped profile of our snug fit wave design maintains excellent chain retention.
CNC details to each tooth, include a teardrop port for mud clearance.

Material	AL7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	34T, 36T
Weight	79g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect.
Full CNC made narrow wide chainring for 1x system.

Material	AL7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX003-AH

Full CNC made narrow wide chainring for 1x system.
The stepped profile of our snug fit wave design maintains excellent chain retention.
CNC details to each tooth, include a teardrop port for mud clearance. For P.C.D 104mm x 4 arms standard.

Material	AL7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T
Weight	48g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-E1-104S

Full CNC made narrow wide chainring for 1x system.
For P.C.D 104mm x 4 arms standard.

Material	AL7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	107g (46T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange

NEW

CK-SHM-110

Our complete carbon crankset is simple, lightweight and extremely rigid. Featuring hollow blow molded arms and a 30mm spindle,our crankset will drive your maximum torque!

Material	Arm Carbon fiber Axle AL7075-T651 Chainring AL7075-T651 full CNC made
Axle	30mm
Length	165 mm / 167.5 mm / 170 mm / 172.5 mm / 175 mm / 177.5 mm
Chainring	double speed: 34-50T/ 36-52T/ 39-53T single speed: 40T 42T 44T 46T 48T
Color	UD Carbon
Weight	670g (34T - 50T)

CK-GXP11

Enduro inside

The G. Impact is 100% CNC machined from 6066 series aluminum material. Crank arms are beautifully machined to be ultra light and super strong. Multiple chainring interface options for the style that works best for you. Designed to take repeated impacts and abuse, you will transfer power efficiently and flawlessly.

Built For	DOWNHILL / XC Racing / Enduro
Material	AL6066-T6
Length	170 mm & 175 mm
Spindle Size	30 mm
BB options	BSA external BB & Pressfit 89.5 & 92
Color	Anodized Black, Gray

Fix SRAM® GXP spider & GXP chainring.

BB-S001

Enduro inside

Fit PressFit 30 frame (Ø46 mm x 68 / 73 mm) to BB30 crankset (30mm axle). Enduro® bearings inside for top class quality.

Material	Plastic bearing cup, alloy side cover
Spacer	2.5 mm spacer x 2, 0.5 mm spacer x 3
Weight	83g / set

Product name	Product diameter		Frame	bottom bracket diameter	
BB-S001-010	Ø46	+0.13 +0.11	Ø46	+0.1 +0.06	
BB-S001-005	Ø46	+0.08 +0.06	Ø46	+0.05 +0.01	
BB-S001-001	Ø46	+0.06 +0.02	Ø46	+0.0 -0.05	(Standard)

DI2 JUNCTION SPACER

C-C length \ stem length	80 mm	90 mm	100 mm	110 mm	120 mm	130 mm	140 mm
32 mm	O						
42 mm	O						
45 mm		O	O				
50 mm			O	O			
55 mm					O	O	
60 mm						O	O

NEW

HA-S018-DI2-PN

Alloy Aero spacer for SHIMANO® DI2 junction, special design available.
Fits Pinarello® fork.

Material	AL6061-T6 CNC made
Length	50mm
Angle	8°
C-C Length	50 mm
Weight	10g
Color	Black

Not include SHIMANO® DI2 junction



HA-S018-DIOD2

SHIMANO® DI2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties.
A simple spacer installation for a clean and professional look.
Choice of 2 different angles.

Material	AL6061-T6 CNC made
For	Giant OD2 system (Ø31.8 Fork)
Angle	6° & 17°
C-C Length	45 / 55 mm
Weight	6g (45mm)
Color	Black, Red, Blue

Compatible with SHIMANO® Di2 Junction

HA-S018-DI2

SHIMANO® DI2 Junction adapter made by CNC.
Securely install your Di2 Junction underneath your stem without any zip-ties.
A simple spacer installation for a clean and professional look.

Material	AL6061-T6 CNC made
For	Ø28.6 Fork
Angle	6° & 17°
C-C Length	42 / 45 / 50 / 55 / 60 mm
Weight	6.5g (42mm)
Color	Black, Red, Gray

Compatible with SHIMANO® Di2 Junction

HA-S016-DI2

SHIMANO® DI2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties.
A simple spacer installation for a clean and professional look.

Material	Nylon body, AL6061-T6 spacer
For	Ø28.6 fork
Angle	6° & 17°
C-C Length	32 / 44 mm
Weight	7g (44mm)
Color	Black

Compatible with SHIMANO® Di2 Junction



NEW

CT-FD006-LD

A low-profile, low direct mount chain guard for 1X drivetrains.
Fully CNC machined body, with a nylon guide that is easy to adjust and quiet on your chain.

Material	AL6061-T6
Spec	low direct mount system 28-36T
Weight	19.5g / set
Color	Black Anodized, Black Plastic

CT-FD003-L

Direct mount chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 32T to 38T, Includes spacer to adjust chainline.

Material	AL6061-T6
Spec	Direct mount type guard 32-38T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
Weight	64g / set
Color	S.B Anodized Black, Black Plastic

CT-FD004-N2-S

A minimalist, direct mount chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 30T to 38T, Includes spacer to adjust chainline.

Material	AL6061-T6
Spec	Direct mount type guard 30-38T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
Weight	49.5g / set
Color	S.B Anodized Black, Black Plastic

CT-FD002

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Weight	76g / set
Color	S.B Anodized Black, Black Plastic

CT-FD005

A minimalist, seat tube mounted chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 30T to 40T.

Material	AL6061-T6
Spec	Round seat tube frame 30-40T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard and Ø34.9 / Ø31.8mm adapter shim
Weight	72g / set
Color	S.B Anodized Black, Black Plastic

ISCG 05



ISCG



NEW

CT-CS001-500

A carbon long fiber body with nylon guide, this minimalist chainguide is a lightweight powerhouse for your 1X drivetrain. Easy to set up for 30T-36T chainrings.

Material	Carbon with nylon
Spec	ISCG-05
Range	30T - 36T
Weight	25g / set

CT-DX009

Lightweight enclosed chain guide with bash guard. Perfect for 1x system. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Thickness	5 mm
Range	32T - 38T
Weight	116g (With out adapter)
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount

CT-DX011-N2

Designed for MTB 1x system drive train. Special design for 28t~32t chainrings to avoid chain drops during heavy use. Simple but effective!

Material	AL6061-T6 CNC made
Spec	ISCG or ISCG 05
Size	28T - 32T
Thickness	5 mm
Weight	52g / set
Color	S.B Anodized Black, Red, Blue

Bottom bracket (BB) adapter included for e type BB mount

ADP-N001

Adapter for ISCG or ISCG05 to E-type

Material	AL6061-T6
Spec	Ø59.2 mm (ISCG) / Ø73 mm (ISCG-05)
Color	S.B Anodized Black

ISCG

ISCG-05

CT-E1-DX001

Robust and economical, this fully encased chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	152g / set
Color	S.B Anodized Black, Red

CT-E1-DX002

Robust and economical, this half-caged chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	169g / set
Color	S.B Anodized Black, Red

CT-E1-DX005

A full protection option for your 1X drivetrain. Swiss plastic and 6061 AL provide strength and solid impact protection for the most demanding terrain.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 38T
Weight	220g / set
Color	S.B Anodized Black, Red

CG-DX002

Full CNC light weight bash guard. Protect your chainring with minimal material. For MTB.

Material	AL6061-T6 full CNC made
P.C.D	Ø104 mm
Size	30T - 32T (OD: 147 mm) 34T - 36T (OD: 160 mm) 38T - 40T (OD: 180 mm)
Weight	85g (OD: 160 mm)
Color	Anodized Black, Red, Blue



NEW

HA-GAMPR12

Compatible with GARMIN Edge® 1000 & MIO® & GoPro®& Bryton® 100 / 310 / 330 / 530.
GIANT® NEOSTRACK.
For Ø31.8 handle bar.

Material	AL6061-T6 body, plastic adapter
Weight	56g / set
Color	S.B. Anodized Black

NEW

HA-S023-TT

Compatible withGARMIN Edge® 1000 & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530.
GIANT® NEOSTRACK.
For triathlon arm rest Ø22.2 tube. Material AL6061-T6 body, plastic adapter

Material	AL6061-T6 body, plastic adapter
Weight	48g / set
Color	S.B. Anodized Black

HA-S011-N2

Compatible with GARMIN Edge® & MIO® & Bryton® 100 / 310 / 330 / 530.
For Triathlon arm rest Ø22.2 tube

Material	AL6061-T6 body, plastic adapter
Weight	42.5g
Color	S.B. Anodized Black, Red, Gray body Black Plastic Adapter

Additional purchase: GIANT® NEOSTRACK tray

HA-S017-N2

Compatible with GARMIN Edge® 1000 & MIO® & Bryton® 100 / 310 / 330 / 530.
For Ø31.8 handle bar. Arm length adjustable.
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

Material	AL6061-T6 body, plastic adapter
Weight	41g
Color	S.B. Anodized Black

Additional purchase: GIANT® NEOSTRACK tray

NEW

HA-S021-3CA
HA-S022-4CA

For stem front cap. Compatible with MIO® & GARMIN & Bryton® 100 / 310 / 330 / 530.
HA-S022-4CA for GoPro®. Fits all Fouriers stems.

Material	AL6061-T6
Screw Center Distance	23~40mm
Angle Adjustable	±20 °
Weight	33.5g / set (HA-S021-3CA) / 42g / set (HA-S022-4CA)

Additional purchase:GIANT® NEOSTRACK tray

HA-S021-3CA

HA-S022-4CA

HA-S021-3CA

HA-S022-4CA

HA-S014

For stem front cap (Screw center distance: 9 - 33 mm)
Compatible with GARMIN Edge® & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530.
Fits all Fouriers stems

Material	AL6061-T6
Screw Venter Distance	9.1-33mm
Weight	40g
Color	S.B. Anodized Black, Red, Gray

Additional purchase: GIANT® NEOSTRACK tray

HA-S019-N2

Special designed for GIANT® Contact SLR Aero Integrated Handlebar & Stem.
Compatible with Garmin® models up to Edge 1000 versions.

Material	AL6061-T6 body & Plastic mount
Weight	26g
Color	S.B. Anodized Black

Additional purchase: GIANT® NEOSTRACK tray

HA-S002 CARBON

For Ø31.8mm, Ø35mm handlebar
Ø26 Carbon tube for computer mounting

Material	AL6061-T6
Spec	Ø31.8, Ø35
Weight	34g

HA-WM001

Special mount for sport watch.
Attach it to restbars and keep a close eye on your performance.

Material	AL6061-T6
Clamp	Ø22.2 mm
Weight	60g
Color	S.B. Anodized Black

HA-WA002

Special mount for sport watch.
Attach it to handlebars and keep a close eye on your performance.

Material	AL6061-T6
Clamp	Ø31.8 mm
Weight	82g
Color	S.B. Anodized Black

HA-S015-SRM8

Compatible with SRM® Power Control 8.
For Ø31.8 handlebar.

Material	AL6061-T6
Clamp	Ø31.8 mm
Weight	38.5g
Color	S.B. Anodized Black

HA-S015

Compatible with SRM® Power Control 7
For Triathlon arm rest Ø22.2 tube

Material	AL6061-T6
Clamp	Ø22.2 mm
Weight	22g
Color	S.B. Anodized Black

HA-S020-GMSP

Sport camera GoPro® mount on seatpost.
Record exciting ride video behind you.

Material	AL6061-T6
Clamp	Ø31.6 mm W/I SHIM Ø27.2 mm
Weight	39g
Color	S.B. Anodized Black

NEW

HA-GP03

GoPro® mount convert extension arm.

Material	AL6061-T6
Weight	49g/set
Color	S.B. Anodized Black

NEW

HA-GP01-X2-001

Convert GoPro® mount into double mount.

Material	AL6061-T6
Weight	29g/set
Color	S.B Anodized Black



NEW

HA-GP02-LT-001

GoPro® mount convert to light holder.

Material	AL6061-T6
Weight	17g/set
Color	S.B Anodized Black

PREVENT A CHAIN DROP, PROTECT YOUR FRAME.



AC-DX002-TM

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with magnet for SRM Powermeter.

Material	AL6061-T6 full CNC made
Range	34T - 50T, 36T - 52T, 39T - 53T
Weight	6.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange

AC-DX002-16-L

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design.

Material	AL6061-T6 full CNC made
Range	34T - 50T, 36T - 52T, 39T - 53T
Weight	5.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange

AC-S003

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with carbon wrap.

Material	AL6061-T6 Carbon coating
Range	34T - 50T, 36T - 52T, 39T - 53T
Weight	7.5g (without bolt)
Color	Carbon 3K

HB-TR003

Fixed arm pads. Arm rest height adjustable with 20-60 mm adapter.

Material	AL6061-T6
Weight	470g / set

Triathlon arm rest
For Ø31.8 handlebar
Option: Carbon - S tubes, J1 tubes, J2 tubes, I tubes
Alloy - S tubes, J1 tubes, J2 tubes, JS tubes

HB-TR003-101
With Alloy S tube
Angle 17˚ / 340 mm
(Only order Alloy S tube: HB-TUB-101)

HB-TR003-201
With Alloy J1 tube
Angle 17˚ / 310 mm
(Only order Alloy J1 tube: HB-TUB-201)

HB-TR003-301
With Alloy J2 tube
Angle 50˚ / 300 mm
(Only order Alloy J2 tube: HB-TUB-301)

HB-TR003-401
With Alloy JS tube
Angle 17˚ / 180 mm
(Only order Alloy JS tube: HB-TUB-401)

HB-TR003-101C
With Carbon fiber S tube
Angle 17˚ / 340 mm
(Only order Carbon S tube: HB-TUB-101C)

HB-TR003-201C
With Carbon fiber J1 tube
Angle 17˚ / 310 mm
(Only order Carbon J1 tube: HB-TUB-201C)

HB-TR003-301C
With Carbon fiber J2 tube
Angle 50˚ / 300 mm
(Only order Carbon J2 tube: HB-TUB-301C)

HB-TR003-401C
With Carbon fiber I tube
Angle 0˚ / 300 mm
(Only order Carbon I tube: HB-TUB-401C)

HB-TR002

Triathlon tri-bar bridge. Has an adjustable width to a maximum of 105 mm. Also features a Ø26 mm computer mount bar for your convenience.

Material	Nylon
Width	85 mm - 105 mm
Weight	54g / set

For Triathlon bar bridge

WBC-DX001

Water bottle cage adapter for triathlon bar.
Simple and effective.

Material	AL6061-T6 full CNC made
Weight	30g / pcs
Color	S.B Anodized Black

Clamping the water bottle cage
For Triathlon bar

WBC-TT003

For GIANT® 2016 Trinity aerodrive rest bar bridge.
increase rigidity when use a higher rest bar

Material	AL7075-T6
Width	120 mm / 142 mm
Weight	30g
Color	S.B Anodized Black

Increase rigidity when use a higher rest bar

STRIKING COLORS WATER BOTTLE TO MATCH YOUR RIDE

Fouriers® GOLF DIMPLE Bottles
are designed for maximum aero-dynamic flow, comfortable grip, and minimal drag.

WBC-BE003-CA

The Fouriers® GOLF DIMPLE Bottle incorporates Jet Valve, a revolutionary self sealing valve, into a spill and splatter free, bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

Cover cap is included to keep the tip clean.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle. Open/close the valve for safe travel and wide-mouth opening for easy cleaning.

Material	LDPE
Range	600cc
Weight	60g
Color	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Vibrant Blue, Gorgeous Purple

PRESSURE VALVE CAP

Special valve design allows clean and easy drinking. Open the cap and slightly squeeze the bottle for drinking. No squeezing = no water outflow, even with an open cap.

WBC-BE002-E

The Fouriers® GOLF DIMPLE Bottle.The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle.

Material	LDPE
Range	600cc
Weight	60g
Color	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Vibrant Blue, Gorgeous Purple

NEW

WBC-DX004-C500 CARBON

Advanced carbon fiber injection technology forms beautiful lines at a competitive price.
Stiff carbon arms keep your bottle locked in place.

Material	Carbon with Nylon
Weight	29.5g
Color	UD

WBC-DX002 CARBON

Arcing arms keep the bottle secure in place and adds a bit of elegance to your bike.

Material	Carbon fiber
Weight	31g
Color	UD

NEW

WBC-S004

Molded plastic arms provide smooth entry and exit of your bottles,
while keeping them locked in place.

Material	Plastic
Weight	46g
Color	Black, Red

WBC-S001 CARBON

Special designed aero dynamic water bottle cage. Cages includes the water bottle.
L size can hold up to 600cc and S size 300cc of water.

Material	Carbon UD cage+ Plastic water bottle
Volume	(L) 600cc, (S) 300cc
Weight	(L) 82.5g, (S) 62.5g, (CAGE) 26g

Easy for holding

NEW

ADP-DISC-5

Front 100mm hub change to boost 110mm hub.

Material	AL6061-T6 full cnc made
Weight	11g (without screws)
Color	S.B Anodized Black

CR-S002

Design to mount onto a 6 bolt disc-hub. This converts your bike into a fixed gear using the special adapter to fix on SHIMANO® cassette style hubs.
The adapter is made from a lightweight alloy 6061-T6 disc.
The cog is made from hardened cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Comes with 6 stainless bolts.

Material	Cold forged Cr-mo heat treated steel (ASM4140) and AL6061-T6 for the adapter N.E.N finished cog / Red anodize adapter
Spec	Use for disc HUB 6 hole and cassette HUB
Teeth	16T - 23T
Weight	56g / set - 103g / set



CR-S001

Complete cog and spacer kit for use with a Shimano-style freehub.
Designed for quick single speed conversion, from a geared bike.
Cog is made by harden cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Different sizes are available to cover most riders needs.

Material	Cold forged Cr-mo heat treated steel (ASM4140) N.E.N finished
Teeth	12T - 23T

For cassette HUB
With lock ring x 1pcs & 10 mm x1, 5 mm x2, 3 mm x3 Spacer

AC-DX003 (SPACO)

Unique cassette spacer for downhill riders. Professional downhill riders don't need bigger sprockets in their rear cassette. Riders use max 7 speed. Spaco replaces these bigger and heavier sprockets and adds more flare to your bike.

Material	AL6061-T6
Spec	Max 19T Compatible with SHIMANO® CS-6700 Max 24T Compatible with SHIMANO® CS-M771-10
Weight	20g
Color	Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange

QR-S006

Heavy duty use quick release for thru-axle system.
Full CNC machined aluminum lever can be repositioned by simple lift and lock.

Material AL7075 axle / AL6061 lever
Spec Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB
Ø15 mm axle with nut
Weight 75g - 86g
Color Black, Red
Max force to 150kgf-cm

HUB	AXLE	SPEC
100	146	M14 x 1.5
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75

QR-S003

Aluminum full CNC machined axle and lever quick release for thru-axle system.

Material AL7075 axle / AL7075 lever
Spec Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB
Ø15 mm axle with nut
Option M12 x 1.0 mm / M12 x 1.75 mm with nut
Weight 76g / pcs (150 mm)
Color Black, Red

HUB	AXLE	SPEC
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75

QR-DX001

Material Alloy with carbon fiber lever
Titanium axle ED black finish
(F)100 mm (R)130 mm, 135 mm
Weight 43g / set (ROAD BIKE) / 46g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB

QR-S001

Material Alloy full CNC machined lever
Titanium axle ED black finish
(F)100 mm (R)130 mm, 135 mm
Weight 45g / set (ROAD BIKE) / 47g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB

QR-E001

Material Alloy lever made anodized finish/10B21 axle
(F)100 mm (R)130 mm, 135 mm
Weight 112g / set (ROAD BIKE) / 115g / set (MTB)
Color S.B Anodized Black, Slver
For ROAD BIKE or MTB

QR-S002

Material Alloy full CNC machined lever
Titanium axle ED black finish
(F)100 mm (R)130 mm, 135 mm
Weight 53.0g / set (ROAD BIKE) / 56.0g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB

FOURIERS' SILICONE GRIP REMAINS COMFORTABLE IN YOUR HAND ALL DAY.

Dimpled texture provides ample grip and airflow.
Maximum control, all day comfort.
GP-S001

GP-S001

Ultra comfortable silicone material provides the rider with uncompromising grip. Relieve hand tension and remain in control. The dimpled surface provides a cooling space as your hands begin to sweat.

Material	Silicone rubber foam
Spec	Ø30x130mm / Ø32x130mm
Color	Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



AC-PGN03-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips.
For handlebar ID: Ø17-21mm
2 pieces a set.

Material	Plastic plug with alloy bolts.
Weight	24g / set

AC-PG02-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips.
For handlebar ID: Ø17-21mm
2 pieces a set.

Material	Alloy cap with stainless bolts.
Weight	41g / set



Our Polyurethane Bar Tape gives the rider supreme comfort and added style points.

Cooling perforations in the tape are appreciated when the riding heats up. Great color choices available for any color scheme.

BP-S001-DC30

Double colored bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Material	PU
Spec	3 cm x 210 cm
Thickness	3.0 mm
Color	Black - Apple Green, Black - Pink, Black - White, Black - Yellow, Red - Blue, Red - White, Apple Green - Pink Blue - Fluorescent Pink , Black - Red

BP-S001

Bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Material	PU
Spec	3 cm x 210 cm
Thickness	3.0 mm
Color	Pink, Green, Red, Blue, Yellow, Tiffany Green, Black, White Carbon Pattern

AC-PG001-RC

Handlebar plugs to tightly secure the bar tape and grip.
For handlebar ID:Ø17-21mm
Comes in 2 pieces a set.

Material	Plastic plug with alloy bolts.
Weight	20g / set

STEEL CONE WITH CERAMIC BEARING

FULL CERAMIC BEARING

PRODUCT SPECS								
ITEM	Dura ace RD-9100	Dura ace RD-9000	Dura ace (DI2) RD-9000	Ultegra RD-6800 SS	Ultegra RD-6800 GS	Ultegra RD-5800	SRAM RED® e-Tap®	SRAM RED® / FORCE / RIVAL
CT-DX007	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-HCA1216	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-H1115	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-D15	-	MAX 28T	MAX 28T	MAX 28T	MAX 36T	-	-	-
CT-DX007-H1515	-	MAX 28T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-H91-1216	MAX 30T	-	-	-	-	-	-	-
CT-DX007-HE05-D15	-	-	-	-	-	MAX 28T	-	-
CT DX017-TAPH1515	-	-	-	-	-	-	MAX 28T	-
CT-DX017-SR1515	-	-	-	-	-	-	-	MAX 28T

NEW

CT-DX007-H91-1216 FULL CERAMIC BEARING

Oversize derailleur cage with 12T upper and 16T lower pulley.
Pulley are full CNC made from AL7075-T651 with full ceramic bearing.
Compatible with SHIMANO® RD9100-SS.

Material	AL6061-T6 Cage / AL7075-T651 pulley
Spec	Fit SHIMANO® RD9100-SS.
Weight	80g / set
Color	S.b Black Anodized Cage / Anodized Pulley

CT-DX007-HCA1216 FULL CERAMIC BEARING

Oversize derailleur cage with 12T upper and 16T lower pulley.
Carbon big cage plate and alloy small cage to reduce weight,
Pulley are full CNC made from AL7075-T651 with full ceramic bearing.
Oversize pulleys decrease drivetrain friction for high performance.
Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

Material	Carbon Cage / AL6061-T6 Cage / AL7075-T651 pulley
Spec	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
Weight	63g / set
Color	S.b Black Anodized & Carbon Cage Anodized Pulley

CT-DX017-SRH1515
CT-DX017-SR1515 FULL CERAMIC BEARING

Oversize derailleur cage with 15T upper and 15T lower pulley.
Pulleys are full CNC made from AL7075-T651. Oversize pulleys decreases drivetrain friction for high performance. Compatible with SRAM RED® / FORCE / RIVAL 11 speed.

Material	AL6061-T6 cage & AL7075-T651 pulley
Spec	Fit SRAM RED® / FORCE / RIVAL 11 speed
Weight	73g / set (CT-DX017-SR1515) / 92g / set (CT-DX017-SRH1515)
Color	S.b Black Anodized Cage Anodized Pulley
Bear	Full ceramic bearing / Stainless cone with ceramic bearing

CT-DX017-SRH1515

NEW

CT DX017-TAPH1515 FULL CERAMIC BEARING

Oversize derailleur cage with 15T upper and 15T lower pulley.
pulley are full CNC made from aluminum AL 7075-T651with full ceramic bearing.
Oversize pulleys decrease drivetrain friction for high performance.
compatible with SRAM RED® e-Tap® rear derailleur.

Material	AL6061-T6 CAGE and AL7075-T651 pulley
Spec	Fit SRAM RED® e-Tap® rear
Weight	82g / set
Color	S.B Black Anodize cage Black Anodize pulley / Red Anodize pulley

CT-DX007-HE05-D15 FULL CERAMIC BEARING
CT-DX007-E05-D15

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulleys are full CNC made from AL7075-T651. Oversize pulleys decreases drivetrain friction for high performance. Compatible with SHIMANO® 5800.

Material	AL6061-T6 Cage / AL7075-T651 pulley
Spec	Fit SHIMANO® RD 5800
Weight	87g / set
Color	S.B Black Anodized Cage Anodized pulley
Bear	Full ceramic bearing / Stainless cone with ceramic bearing

CT-DX007-D15

CT-DX007-H1515

CT-DX007-H1515 FULL CERAMIC BEARING
CT-DX007-D15

Oversize derailleur cage with 15T upper and 15T lower pulley.
Pulley are full CNC made from AL7075-T651 Oversize pulleys decrease drivetrain friction for high performance.Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

Material	AL6061-T6 Cage / AL7075-T651 Pulley
Spec	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
Weight	75g / set (CT-DX007-D15) / 72g / set (CT-DX007-H1515)
Color	S.B Black Anodized Cage Anodized pulley
Bear	Full ceramic bearing / Stainless cone with ceramic bearing

CT-DX007-H1115 FULL CERAMIC BEARING
CT-DX007

Oversize derailleur cage with 11T upper and 15T lower pulley.
Pulley are full CNC made from AL7075-T651 Oversize pulleys decrease drivetrain friction for high performance.
Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

Material	AL6061-T6 Cage / AL7075-T651 pulley
Spec	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
Weight	70g / set (CT-DX007) / 72g / set (CT-DX007-H1115)
Color	S.b Black Anodized Cage Anodized pulley
Bear	Full ceramic bearing / Stainless cone with ceramic bearing

CT-DX007-H1115

CT-DX007



SCL-S005-CA

Seatclamp with a rubber dust cover to protect your frame from dust creeping into your seat tube. Chamfered edge & oval clamping mechanism to protect carbon frames & seatpost.

Material	AL6061-T6 clamp with NBR cover
Spec	Ø31.8 (Ø27.2 seat post), Ø34.9 (Ø31.6seat post) 17.5 mm
Height	16 mm
Weight	25g(Ø31.8) / 28g(Ø34.9)
Color	Clamp: S.B Anodized Black Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube.

Material	AL6066-T6
Spec	Ø31.8 mm (Fix Ø27.2 Seatpost) / Ø34.9 (Fix Ø31.6 Seatpost)
Height	17.5 mm
Weight	(Ø31.8) 24g / (Ø34.9) 27g
Color	Black, Silver, Red, Gray

Oval Hole For Carbon

SCL-DN001

Special double nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	14 mm
Weight	(Ø31.8) 17.5g / (Ø34.9) 18.5g
Color	Black

SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	11 mm
Weight	(Ø31.8) 22.5g / (Ø34.9) 23.2g
Color	Black, Silver

SCL-S006-CA

Extra security to prevent your seatpost from slipping past your seatclamp. Keeps your seat height consistent, and the dust out of your seat tube. Can be used with any seatclamp.

Material	AL6061-T6 clamp with NBR cover
Spec	Ø27.2, Ø30.9, Ø31.6 mm
Height	8.5g~11g
Color	Clamp: S.B Anodized Black Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

SCL-QX001

Seat clamp with ultra-lightweight and rounded quick release. Chamfer edge & oval hole design to protect carbon frames.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	16 mm
Weight	(Ø31.8) 28g / (Ø34.9) 30.5g
Color	Black, Silver, Red, Gold, Gray

Oval Hole For Carbon

SCL-QX002

Seat clamp with ultra-lightweight and sleek quick release. Chamfer edge & oval hole design to protect carbon.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	16 mm
Weight	(Ø31.8) 26g / (Ø34.9) 29g
Color	Black, Silver, Red, Gold, Gray

Oval Hole For Carbon

SCL-QE001 (P.A.T)

Special seat clamp with a screw that can't be disassembled for the security of your seat post installation.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	13.5 mm
Weight	(Ø31.8) 110g / (Ø34.9) 113g
Color	Black, Silver



SR-S001 CARBON

Set of 4 spacers: 3, 5, 10mm,
Taper Spacer

Diameter	ID: Ø28.6 mm / OD: Ø34 mm
Material	Carbon 3K AL6061-T6 (Taper Spacer)
Weight	10.5g / set

SR-S002 CARBON

Set of 4 spacers: 3, 5, 10mm,
Taper Spacer

Diameter	ID: Ø28.6 mm / OD: Ø34 mm
Material	Carbon 3K AL6061-T6 (Taper Spacer)
Weight	8.3g / set

SR-S003

Set of 3 spacers: 5mm x 2pcs,
10mm x 1pcs.

Diameter	ID: Ø28.6 mm / OD: Ø36 mm
Material	Transparent Nylon
Weight	7.2g / set.
Color	White, Blue, Orange, Light Orange, Green, Transparent, Light Pink, Purple, Yellow

SR-E001

Set of 4 spacers: 3, 5, 10mm,
Taper Spacer

Diameter	ID: Ø28.6 mm / OD: Ø36 mm
Material	AL6061-T6
Weight	15.5g / set
Color	Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange

SR-E002

Set of 4 spacers: 3, 5, 10mm,
Taper Spacer

Diameter	ID: Ø28.6 mm / OD: Ø36 mm
Material	AL6061-T6
Weight	10.5g / set
Color	Anodized Black, Silver, Red, Gold, Gray,Blue, Apple Green, Orange



HA-S008

Integrated headset system.
Angle contact seal bearing.

Material	Top cover AL6061-T6
Spec	Integrated 1-1/8" Upper/1.5" Bottom (UP) Ø28.6 x Ø41.8 / (DOWN) Ø51.8 x Ø39.5
Bearing	(UPPER) 41.8 x 45° x 8 (LOWER) 51.8 x 45° x 8
Weight	78g / set
Color	Black

ADP-HB701

Carbon fiber and nylon, in-board extensions for your grip. Ergonomically designed to give relief by an additional hand position for long days behind the handlebars. Your fingers have greater mobility and are free to work the brakes.

Material	Carbon fiber with special nylon
Specifications	Diameter Ø22.2mm
Weight	17.8g / set

TC-S001

With stainless steel screws bolt

Material	AL6061-T6 CNC finished
Spec	Fit 1-1 / 8 fork
Weight	23g
Color	Anodized Black, Silver

TC-S002 CARBON

With stainless steel screws bolt

Material	Carbon
Spec	Fit 1-1 / 8 fork
Weight	23g
Color	UD

TC-S003 TITANIUM

With Titanium bolt

Material	Titanium-64
Spec	Fit 1-1 / 8 fork
Weight	9.5g

TC-S004

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1 / 8"
Weight	15g
Color	Anodized Black

TC-S005

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1 / 8"
Weight	15g
Color	Anodized Red

TC-S006

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1 / 8"
Weight	15g
Color	Anodized Red

TC-S007

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1 / 8"
Weight	15g
Color	Anodized Black

TC-E001

With stainless steel screws bolt

Material	AL6061-T6
Spec	Fit 1-1 / 8 fork
Weight	14.5g
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green

TC-E002

With stainless steel screws bolt

Material	AL6061-T6
Spec	Fit 1-1 / 8 fork
Weight	14.5g
Color	Anodized Black

NEW

ADP-BOT-C500 CARBON

Lamp peg & Rear derailleur protocter.
For Front & Rear Wheel.

Material	Carbon 3K Body & AL6061 Cap
Weight	25g / set

NEW

ADP-BOT-A011

Lamp peg for front wheel.

Material	AL6061-T6
Weight	36g / set
Color	S.B Anodize Black



HA-S007

Comes with long screw, top cap and spacers.

Material	AL6061-T6 body, Top cap, Spacer
Length	50 mm (Adjust height 47.5 mm - 65.5 mm) 90 mm (Adjust height 47.5 mm - 105.5 mm) 120 mm (Adjust height 47.5 mm - 135.5 mm)
Weight	154g - 230g
Color	S.B Anodized Black

X	Y	Z
50	47.5	65.5
90	47.5	105.5
120	47.5	135.5

HA-S001 CARBON

Canti Brake cable hanger.
Carbon spacer can reduce brake noise.
For Ø28.6 fork tube

Material	Carbon 3K
Heigh	4 mm
Weight	29g / set

AC-S007 ALLOY

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

Material	AL6061-T6
Spec	OD Ø31.6 mm x ID Ø30.9 mm OD Ø31.6 mm x ID Ø27.2 mm OD Ø30.9 mm x ID Ø27.2 mm
Length	90mm
Weight	9g - 41g
Color	Anodized Black, Silver

AC-DX001

Fits SHIMANO® 8, 9, 10, 11 speed
CAMPAGNOLO® 9, 10, 11 speed

Material	AL7075-T651 body, AL6061-T6 cap
Bearing	CR-steel seal bearing, Ceramics bearing
Teeth	11T
Weight	21g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

AC-S004

SHIMANO® center lock disc hub adaptor. Change center lock disc hub to the international 6 bolt standard disc

Material	AL6061-T6 body and lock ring/ Stainless steel washer
Weight	41g / set
Body Color	S.B Anodized Black, Sliver

AC-S002 CARBON

Adapter for bar bore, available in 3 sizes. Carbon fiber has damping capacity to reduce vibration during riding.

Material	Carbon UD
Spec	OD Ø35 mm to ID Ø31.8 mm, OD Ø31.8 mm to ID Ø26 mm, OD Ø31.8 mm to ID Ø25.4 mm
Width	60 mm
Weight	24g (Ø31.8 x Ø25.4 mm)

AC-S001 CARBON

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

Material	Carbon UD
Spec	OD Ø31.8 mm to ID Ø28.6 mm
Length	38 mm
Weight	10g / set

AC-A002

Adapter for bar bore Ø35 mm to Ø31.8 mm

Material	AL6061
Spec	OD Ø35 mm to ID Ø31.8 mm
Width	60 mm
Weight	20g

AC-A001

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

Material	AL6061
Spec	OD Ø31.8 mm to ID Ø28.6 mm
Length	38 mm
Weight	15g

NEW

AC-MG004-F

Front mudguard to keep your fork and your face free from dirt and debris.
Customizable cut lines on the under side of the guard.
We use eco-friendly and recyclable PP (polypropylene) material.

Material	Polypropylene (PP)
Thickness	1.2 mm
Weight	37g
Color	Black

NEW

AC-MG005-R

Assemble on saddle rail.
We use eco-friendly and recyclable PP (polypropylene) material.
Smart-Fix aonstruction for quick removal.

Material	Polypropylene (PP)
Thickness	1.2 mm
Weight	30g
Color	Black

AC-MG001-N2

Assemble on MTB suspension fork
Not available in Europe

Material	Polypropylene (PP)
Thickness	0.8 mm
Weight	28g
Color	Black, Apple Green, Orange, Pink, White, Yellow





cut it by yourself



AC-MG003-N2

Front mudguard to keep your fork and your face free from dirt and debris.
Customizable cut lines on the under side of the guard.
We use eco-friendly and recyclable PP (polypropylene) material.
Six striking colors to match your ride.

Material	Polypropylene (PP)
Thickness	0.8 mm
Weight	28g
Color	Black, Apple Green, Orange, Pink, White, Yellow



AC-MG002

Assemble on saddle rail
Not available in U.S.A

Material	Polypropylene (PP)
Thickness	0.8 mm
Weight	19g
Color	Black, Apple Green, Orange, Pink, White, Yellow

VL-PE008-N

Tubeless valve (removable type) extender,
can easily fixed by outer thread &nut.
1set = 2pcs

Material	AL6061-T6
Length	40 ,60 (mm)
Weight	8g (60mm)
Color	Anodized Black

VL-PE007

Tire Valve Extensions: Simple, air-tight installation without tape or threadseal, while reducing noise and vibration on the road.
1set = 2pcs

Material	AL6061-T6 Body, Nylon Ring
Length	38, 50, 60, 70, 80, 90, 100(mm)
Weight	6.5g (60mm)
Color	Anodized Black

VL-PE001

Presta valve extender CNC Machined, 1set = 2pcs

Material	AL6061-T6
Length	25, 38, 50, 60, 70, 80, 90, 100 (mm)
Weight	8g (60mm)
Color	Anodized Black, Sliver



VL-PE002

Presta valve extender, 1set = 2pcs

Material	AL6061-T6
Length	20, 30, 40, 50, 60, 70, 80, 90, 100 (mm)
Weight	7.5g (60mm)
Color	Anodized Black, Sliver

VL-PE003

Presta valve extender
Only for Vittoria tubular tire, 1set = 2pcs

Material	AL6061-T6
Length	30, 40, 50, 60, 70 (mm)
Weight	9g (60mm)
Color	Anodized Black, Sliver

VL-US001

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	USA valve
Weight	18.7g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

VL-PE009

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	Presta valve
Weight	2g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

VL-PE009

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	Presta valve
Weight	2g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

VL-US002

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	USA valve
Weight	13.0g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

VL-PE004

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	Presta valve
Weight	2.9g / set
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange

BN-M003

1 set = 2pcs

Material	AL7075-T6 full CNC made
Spec	M5 x 0.8
Length	17 mm
Weight	1.3g / pcs
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green

VL-US003

1 set = 2pcs

Material	AL6061-T6 CNC made
Spec	Presta change to USA valve
Weight	2.3g / set
Color	Anodized Black, Sliver, Red, Gold, Gray

BN-M001-SUS

1 set = 5 pair

Material	Stainless
Spec	M8 x 0.75
Width	4mm
Tool	Allen wrench 5 mm
Weight	20g / set

BN-M001

1 set = 5 pair

Material	AL7075-T6 full CNC made
Spec	M8 x 0.75
Width	5mm , 7 mm
Tool	Allen wrench 5 mm
Weight	2.0g / pair (7 mm)
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green

VL-PE005

Disc wheel 90 degree adapter
Fix Presta valve rim tire

Material	AL6061-T6 CNC made
Weight	9.6g
Color	Anodized Black, Sliver

ADP-S001

All CNC made, CO2 adapter.
Fits presta & USA valve without adapter.
The simple theaded valve allows easy use.

Material	AL6061-T6 full CNC made
Weight	17g
Color	Anodized Black, Sliver

BN-M002

1 set = 2 pcs

Material	AL7075-T6 full CNC made
Spec	M5 x 0.8
Length	10 mm
Weight	1.3g / pcs
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green

THE QUICK TRUE TOOL IS A PORTABLE WHEEL & ROTOR TRUING TOOL.

IT CAN BE ATTACHED TO THE FRAME OR FORK OF ANY BIKE!

You do not have to remove the wheels from the dropouts to true them.
The rubber foot of the Quick True Tool, and the rubber straps, secure the tool to any frame or fork, for a steady platform to begin working on a wheel.
Three planes of adjustment make it easy to set-up and quickly identify an area of the rim, out of true.
The spring-loaded, plastic tip will not damage carbon, or other rims, as the tip comes in contact with points along the rim or rotor, that are out of true.
An include Spoke Blade, has 2 sides which have wrench flats for the common nipple sizes of 3.23mm, 3.45mm.
The tool can also be set-up and used on any brake rotor as well.

NEW

ADP-WH001

Simple and easy to install, check wheel set offset and quick adjustment.

Material:	AL 6061-T6
Spec:	Spoke tool 3.23mm & 3.45mm

TL-ST041-6P

6 function bike tool set
Hex 3 / 4 / 5 / 6 mm, PH2, T25

Inner Tool Of Material	Chrome Vanadium with durable Matte Chrome plating
Frame	AL6061-T6 full CNC made. one-piece
Weight	75g
Color	Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST042-8P

8 function bike tool set
Hex 2 / 2.5 / 3 / 4 / 5 / 6 mm, PH2, T25

Inner Tool Of Material	Chrome Vanadium with durable Matte Chrome plating
Frame	AL6061-T6 full CNC made. one-piece
Weight	83g
Color	Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST060-17P

18 function bike tool set
Hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm, PH2, SL4, T25
Spoke wrench SHIMANO® 4.3 / 4.4 / Hex4.6 / MAVIC M7.
bottle opener Chain breaker (9 / 10 / 11 speed) Tire lever

Inner Tool Of Material	Chrome Vanadium with durable Matte Chrome plating
Frame	AL6061-T6 full CNC made
Weight	178g
Color	Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST003-M

Material	Heat treatment steel 6150 tool / Alloy body
Spec	Allen wrench 2, 2.5, 3, 4, 5, 6 mm, Torx T25, Slot, Philips
Weight	145g / set
Color	ED

TL-ST001

Material	Heat treatment steel 6150 tool / Nylon body
Allen Wrench	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Weight	385g / set
Color	CP

TL-S001

Material	Heat treatment steel 6150 tool / Nylon body
Allen Wrench	4, 5, 6mm
Weight	65mm, 80mm
Color	Body- Black, Blue, Red, Apple Green, Gray Ring- Yellow 6mm, Orange 5mm, Purple 4mm
Head Type	Ball or Hex wrench

TL-ST002-T

Material	Heat treatment steel 6150 tool / Nylon body
Allen Wrench	T10, T15, T20, T25, T27, T30, T40, T45, T50mm
Weight	268g / set
Color	ED

TL-S003-1544

Lock ring tool with clean lines to blend in with your bike. Store on the water bottle braze-ons, or comfortably in your back pocket.

Material	Hardened stainless steel / High polish finished
Spec	15mm nut / lockring (OD Ø42 ~ Ø44)
Weight	80g

AC-S005-002



AC-S005-012

AC-S005-100

AC-S005-100

Anti-puncture frame protector roll

Material	Polyurethane (PU)
Spec	(W) 100mm x (L) 1500mm
Weight	110.5g

AC-S005-002

Anti-puncture chain stay protector

Material	Polyurethane (PU)
Weight	8g

AC-S005-012

Anti-puncture frame protector

Material	Polyurethane (PU)
Weight	15g

AC-S006-001

Puncture protection tape
Type: Road bike (700C)

Material	Polyurethane (PU)
Spec	(W) 20mm x (L) 2090mm
Weight	37.5g

AC-S006-129

Puncture protection tape
Type: MTB wheels

Material	Polyurethane (PU)
Spec	(W) 31mm x (L) 2350mm
Weight	71.5g

www.fouriers-bike.com